

nex-robotics

Nex Robotics Pvt. Ltd.

Browse [_](#)



| Name | Product Id | Price | Thumbnail Image | Description | Update |
|----------------------------------|---------------|----------|-----------------|-------------|--------|
| Servo Jacket Kit | NR-LEGR-SJ-01 | Rs.90.00 | | | |

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 541.70 cm
/13 Do Q

Servo Jacket is
designed for the
standard size
servo motors.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[Servo Arm Kit](#) NR-LEGR-SA-01 Rs.68.62

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 527.53 cm
/l4 Do Q

Servo Arm is
designed for the
standard size
servo motors.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

[90 RPM](#)

[Encoder motor
with wheel
assembly](#)

NR-GMD-ENC-WH- 90
RPM

Rs.379.13

Position encoders
are used for
controlling
position and
velocity of the
robot.

Quantity:

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 513.35 cm
/15 Do Q

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[AVR ISP USB
Programmer](#)

NR-P-006

Rs.461.25

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=image,width=31.75,height=31.75ï¿½ï¿½ï¿½ï¿½
90.00 0 0 90.00
28.35 499.18 cm

NR-P-006 is a
low cost In
System
Programmer
(ISP) for AVR
microcontrollers.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

Spur Gear

NR-GR-SP-01

Rs.36.75

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=
Add to
Cart

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

[Servo Leg Kit](#)

NR-LEGR-SL-01

Rs.90.00

ï¿½ï¿½ï¿½type=

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 470.83 cm
/l8 Do Q

Servo Leg is
designed for the
standard size
servo motors.

Quantity:

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için lütfen tıklayın
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

[ATMEGA32](#)

NR-ATMEGA32-DIP

Rs.246.75

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=image,width=31.75,height=31.75ï¿½ï¿½ï¿½ï¿½
90.00 0 0 90.00
28.35 456.66 cm
/19 Do Q

ATMEGA32 is a
affordable feature
rich AVR
microcontroller
from ATMEL.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

İçerikler

ï¿½ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

[ATMEGA8
Development
Board](#) NR-M8-DEV-BRD Rs.540.00

ï¿½ï¿½ï¿½ï¿½type=

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 442.49 cm
/I10 Do Q

ATMEGA8
Development
Board is made
from double sided
PTH PCB board
to provide extra
strength to the
connector joints
for increased
reliability.

ï¿½ï¿½ï¿½type=

İçeriklerinizden bildirimler almak için
Notify Me!

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[ATMEGA2560
Adaptor Board](#)

NR-RB-001

Rs.3,937.50

ATMEGA2560 is one of the most powerful microcontroller in the AVR family. ATMEGA2560 adaptor board exploits full capabilities of the Fire Bird V robot.

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 428.31 cm
/I11 Do Q

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=
Notify Me!

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için type=

[A1035-H GPS
Reciver Module](#) NR-GPS-A1035-H Rs.2,299.50

A1035-H GPS
Receiver Module
from NEX
Robotics Pvt. Ltd. Height=28.2222222
90.00 0 0 80.00 on the SiRF Star
28.35 424.14 cm III technology.
/I12 Do Q GPS module has
onboard compact
Ceramic GPS
patch antenna.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Notify Me!

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

[300 RPM](#)
[Centre Shaft](#)
[Economy](#)
[Series DC](#)
[Motor](#)

NR-GMD-ECO-300

Rs.127.05

ï¿½ï¿½ï¿½ï¿½type=

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 399.97 cm
/I13 Do Q

300RPM Centre
Shaft Economy
Series DC Motor
is high quality low
cost DC geared
motor. It has steel
gears and pinions
to ensure longer
life and better
wear and tear
properties.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

[32.768KHz](#)

NR-32.768KHz

Rs.3.15

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=image,width=31.75,height=31.75ï¿½ï¿½ï¿½
90.00 0 0 90.00
28.35 385.79 cm
/114 Do Q

This is 32.768
KHz crystal very
commonly used
in the Real Time
Clock (RTC).

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerik type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkürler.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[350 RPM](#)
[Single Shaft](#)
[R/A Plastic](#)
[Gear Motor](#)

NR-GMD-PL-RA-ST-350 Rs.89.25

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 371.62 cm
/115 Do Q

This is a 350
RPM low cost
single shaft DC
geared motor. It
is most suitable
for light weight
robot requiring
small power.

Quantity:

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[Soldering
Iron\(25W\)](#)

NR-SI25W

Rs.191.25

This is High
quality 25W
Soldering Iron
from Soldron.

Quantity:

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 357.45 cm
/116 Do Q

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

28.35 343.28 cm
/I17 Do Q

This is medium
high torque
plastic gear servo
motor measuring
41mm x 21mm
x40mm. It can
give 3.5Kg to
4.5kg cm torque.

İçeriklerimize
Notify Me!

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

İçerikler type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

[ZXCT1010](#)

[High Side](#)

[Current Sensor](#)

[Module](#)

NR-CS-ZXCT1010-HS

Rs.118.13

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[Worm Gear](#)

NR-GR-WR-01

Rs.36.75

İçerik 1/2 İçerik 1/2 İçerik 1/2 type=

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 314.93 cm
/I19 Do Q

This Worm gear
is used along with
the Spur Gear for
transferring
motion from one
wheel to another
or in building
mechanical links.

Quantity:

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

[Dual Shaft](#)
[Plastic Gear](#)
[Motor ST2](#)

NR-GMD-PL-ST2

Rs.89.25

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=image,width=31.75,height=31.75ï¿½ï¿½ï¿½ï¿½
90.00 0 0 90.00
28.35 300.76 cm
/120 Do Q

This is a low cost
low voltage high
torque durable
dual shaft DC
geared motor. It
is most suitable
for light weight
robot running on
small voltage.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

İçerik type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[USB to RS-232 Converter](#)

NR-USB -01

Rs.393.75

This USB to RS232 converter is based on FT232 USB to Serial converter from FTDI. It gives RS232 Level output for TXD and RXD pins of the serial port.

Quantity:

type=image,width=31.75,height=31.75
90.00 0 0 90.00
28.35 286.58 cm
/l21 Do Q

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=
Add to
Cart

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

[P89V51RD2
Development
Board](#)

NR-
P89V51RD2-DEV-BRD Rs.398.25

ï¿½ï¿½ï¿½type=

type=image,width=31.75,height=31.75

90.00 0 0 90.00

28.35 272.41 cm

/I22 Do Q

P89V51RD2

Development

Board is a low
cost development

boards which

have all the basic

components

needed for

gaining a

headstart on your

first 8051

microcontroller

projects.

Quantity:

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için lütfen tıklayın
Add to
Cart

ï¿½ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½type=

İçerikleriniz için teşekkür ederiz.

ï¿½ï¿½ï¿½ï¿½type=

-
-
-
-
-
-
-
-
-
-
-
-
-
-
-

« « Start
« Prev
1
[2](#)
[3](#)
[4](#)
[5](#)
[6](#)
[7](#)
[8](#)
[9](#)
[10](#)
[Next »](#)
[End » »](#)

īġ½īġ½īġ½type=

Results 1 - 20 of 477

Featured Products

[Ultrasonic Range Finder EZ0](#) Rs.1,296.00

-



1



Add to Cart

0

156

156

shop.cart

type=image,ypos=35,width=31.75,height=31.75

90.00 0 0 90.00 28.35 723.54 cm /I23 Do Q

Ultrasonic Range Finder EZ0 is a high performance Ultrasonic Range Finder from the Maxbotics. With 2.5V - 5.5V power the EZ0

provides very short to long-range detection and ranging, in an incredibly small package.

Quantity:

[Lithium Polymer Balance Charger 110-240V AC](#)

Rs.981.00



Add to Cart

shop.cart

90.00 0 0 90.00 28.35 595.98 cm /I24 Do Q

NR-BLIC-03 is a smart Balance Charger which works on directly mains supply from 110V AC to 240V ac, 50-60Hz. from the NEX Robotics.

Quantity:

[Omnidirectional Wheel 4cm Diameter](#)

Rs.348.60

1



Add to Cart

0



171



171



shop.cart

type=image,ypos=35,width=31.75,height=31.75

90.00 0 0 90.00 28.35 482.60 cm /I25 Do Q

This is 4cm diameter Omnidirectional wheel with 8mm bore.

Quantity:

[FlexiForce 11.34 Kg. Force Sensor](#) Rs.1,800.00

| | | | | | | |
|---|--|-------------|---|-----|-----|--|
| 1 | | Add to Cart | 0 | 180 | 180 | |
|---|--|-------------|---|-----|-----|--|

shop.cart

90.00 0 0 90.00 28.35 411.73 cm /I26 Do Q

The resistance of the FlexiForce sensor is proportional to weight. The active sensing area is a 9.53mm diameter circle at the end of the sensor.

Quantity:

[HS-485HB Delux Heavy Duty servo with Karbonite gears](#) Rs.898.79

| | | | | | | |
|---|--|-------------|---|-----|-----|--|
| 1 | | Add to Cart | 0 | 168 | 168 | |
|---|--|-------------|---|-----|-----|--|

shop.cart

type=image,ypos=35,width=31.75,height=31.75

90.00 0 0 90.00 28.35 298.34 cm /I27 Do Q

This is high torque Karbonite gear servo motor measuring 39.8mm x 19.8mm x37.8mm.

Quantity:

[Omnidirectional Wheel 7cm](#) Rs.900.00

1



Add to Cart

0

130

130



shop.cart

type=image,ypos=35,width=31.75,height=31.75

90.00 0 0 90.00 28.35 326.69 cm /l28 Do Q

Omni wheels are wheels with small discs around the circumference which are perpendicular to the rolling direction.

Quantity:

[Mini Analog 2 Axis Joystick](#) Rs.466.88

1



Add to Cart

0

191

191

shop.cart

type=image,ypos=35,width=31.75,height=31.75

90.00 0 0 90.00 28.35 298.34 cm /I29 Do Q

This is Two Axis, Analog, Mini-joystick with Momentary Switch from CTS Electrocomponents.

Quantity:

[Two Axis Camera pod](#) Rs.3,375.00

type=image,ypos=35,width=31.75,height=31.75
90.00 0 0 90.00 28.35 326.69 cm /I30 Do Q

[Lithium Polymer 3Cell, 11.1V, 2600mAh, 20C
discharge Battery](#) Rs.1,779.75

1



Add to Cart

0

161

161

shop.cart

type=image,ypos=35,width=31.75,height=31.75

90.00 0 0 90.00 28.35 312.52 cm /I31 Do Q

This is high performance 3 cell Lithium Polymer rechargeable battery. It is rated at 11.1V, 2650mAh. It can give discharge current up to 53Amps (20C discharge).

Quantity:

[Omnidirectional Wheel 6.3cm Diameter](#)

Rs.488.35

1



Add to Cart

0

538

538

shop.cart

type=image,ypos=35,width=31.75,height=31.75
90.00 0 0 90.00 28.35 284.17 cm /I32 Do Q

This is 6.3cm diameter Omnidirectional wheel with
8mm bore.

Quantity: